








		TURBO 1 MPX 720P
KODI	FOTO	PERSHKRIMI
DS-7104HGHI-F1		<ul style="list-style-type: none"> • H.264 /H.264+ • HDMI&VGA output • Long transmission • 720p
DS-7108HGHI-F1		<ul style="list-style-type: none"> • H.264 /H.264+ • HDMI&VGA output • Long transmission • 720p
DS-7216HGHI-F1		<ul style="list-style-type: none"> • H.264 /H.264+ • HDMI&VGA output • Long transmission • 1080p
DS-2CE56C0T-IRP (2.8mm)		<ul style="list-style-type: none"> • 1MP CMOS, • 720P, • IR 20M
DS-2CE56C0T-IT1 (2.8mm)		<ul style="list-style-type: none"> • 1MP CMOS, • 720P, • IR 20M
DS-2CE56C0T-IT3 (2.8mm)		<ul style="list-style-type: none"> • 1MP CMOS, • 720P, • IR 40 M
DS-2CE16C0T-IRPF (2.8mm)		<ul style="list-style-type: none"> • 1MP CMOS, • 720P, • IR 20M
DS-2CE16C0T-IT1F (2.8mm)		<ul style="list-style-type: none"> • 1MP CMOS, • 720P, • IR 20M











DS-2CE16C0T-IT5F (3.6mm)		<ul style="list-style-type: none"> • 1MP CMOS, • 720P, • IR 80M
		TURBO 2 MPX 1080P FULL HD
DS-7204HQHI-F1/N		<ul style="list-style-type: none"> • H.264 /H.264+ • HDMI&VGA output • Long transmission • 1080p
DS-7208HQHI-F1/N		<ul style="list-style-type: none"> • H.264 /H.264+ • HDMI&VGA output • Long transmission • 1080p
DS-7216HQHI-F1/N		<ul style="list-style-type: none"> • H.264 /H.264+ • HDMI&VGA output • Long transmission • 1080p
DS-2CE56D0T-IRP (2.8mm)		<ul style="list-style-type: none"> • 2MP CMOS, • 1080P, • IR 20M
DS-2CE56D0T-IT1 (2.8mm)		<ul style="list-style-type: none"> • 2MP CMOS, • 1080P, • IR 20M
DS-2CE56D0T-IT3 (2.8mm)		<ul style="list-style-type: none"> • 2MP CMOS, • 1080P, • IR 40M
DS-2CE16D0T-IRPF (2.8mm)		<ul style="list-style-type: none"> • 2MP CMOS, • 1080P, • IR 20M
DS-2CE16D0T-IT1F (2.8mm)		<ul style="list-style-type: none"> • 2MP CMOS, • 1080P, • IR 20M
DS-2CE16D0T-IT3F (2.8mm)		<ul style="list-style-type: none"> • 2MP CMOS, • 1080P, • IR 40M

DS-2CE16D0T-IT5F (3.6mm)		<ul style="list-style-type: none"> • 2MP CMOS, • 1080P, • IR 80M
DS-2CE16D1T-AVFIR3 (2.8-12mm)		<ul style="list-style-type: none"> • 2MP CMOS IR 40M • HD1080P Vari-focal IR Bullet Camera
	TURBO HD	3 MEGAPIXEL & 5 MEGAPIXEL
KODI	FOTO	PERSHKRIMI
DS-7204HUHI-F1/S		<ul style="list-style-type: none"> • 3 MPX 5 MPX • H.264 /H.264+ • HDMI&VGA output • Long transmission • 1920x1080
DS-7208HUHI-F1/S		<ul style="list-style-type: none"> • 3 MPX 5 MPX • H.264 /H.264+ • HDMI&VGA output up to 4k • Long transmission
DS-7216HUHI-F2/S		<ul style="list-style-type: none"> • 3 MPX 5 MPX • H.264 /H.264+ • HDMI&VGA output up to 4k • Long transmission
DS-2CE56F1T-ITM (2.8mm)		<ul style="list-style-type: none"> • 3MP CMOS, • IR 20M
DS-2CE56F1T-IT3 (2.8mm)(B)		<ul style="list-style-type: none"> • 3MP CMOS, • IR 40M
DS-2CE16F1T-IT (2.8mm)(B)		<ul style="list-style-type: none"> • 3MP CMOS, • IR 20M


DS-2CE16F1T-IT3 (2.8mm)(B)		<ul style="list-style-type: none"> • 3MP CMOS, • IR 40M
DS-2CE16F1T-IT5 (3.6mm)(B)		<ul style="list-style-type: none"> • 3MP CMOS, • IR 80M
	TURBO HD	5 MEGAPIXEL
KODI	FOTO	PERSHKRIMI
DS-2CE56H1T-ITM (2.8mm)		<ul style="list-style-type: none"> • 5MP CMOS, • IR 20M
DS-2CE56H1T-IT1 (2.8mm)		<ul style="list-style-type: none"> • 5MP CMOS, • IR 20M
DS-2CE56H1T-IT3 (3.6mm)		<ul style="list-style-type: none"> • 5MP CMOS, • IR 40M
DS-2CE16H1T-IT (2.8mm)		<ul style="list-style-type: none"> • 5MP CMOS, • IR 20M
DS-2CE16H1T-IT1 (2.8mm)		<ul style="list-style-type: none"> • 5MP CMOS, • IR 20M

DS-2CE16H1T-IT3 (3.6mm)		<ul style="list-style-type: none"> • 5MP CMOS, • IR 40M
DS-2CE16H1T-IT5 (3.6mm)		<ul style="list-style-type: none"> • 5MP CMOS, • IR 80M

NVR	IP CAMERA	4 MPX & 5 MPX
DS-7604NI-E1		<ul style="list-style-type: none"> • 6mp , 4 ch • H.264 /H.264+ • HDMI&VGA output
DS-7604NI-E1/4P/A		<ul style="list-style-type: none"> • 6mp , 4 ch • H.264 /H.264+ • 4 POE
DS-7604NI-E1/GW		<ul style="list-style-type: none"> • 6mp , 4 ch • H.264 /H.264+ • 3 G
DS-7608NI-E1		<ul style="list-style-type: none"> • 6mp , 8 ch • H.264 /H.264+ • HDMI&VGA output
DS-7608NI-E2/A		<ul style="list-style-type: none"> • 6mp , 8 ch • H.264 /H.264+ • 2 HDD






DS-7608NI-E2/8P		<ul style="list-style-type: none"> • 6mp , 8 ch PoE • H.264 /H.264+ • HDMI&VGA output
DS-7616NI-E1		<ul style="list-style-type: none"> • 6mp , 8 ch • H.264 /H.264+ • HDMI&VGA output
DS-7616NI-E2/16P		<ul style="list-style-type: none"> • 6mp , 16 ch PoE • H.264 /H.264+ • HDMI&VGA output
DS-7716NI-E4/16P		<ul style="list-style-type: none"> • 6mp , 16 ch PoE • H.264 /H.264+ • HDMI&VGA output 4 HDD Pro
DS-7716NI-E4		<ul style="list-style-type: none"> • 6mp , 16 ch • H.264 /H.264+ • HDMI&VGA output 4 HDD
DS-7732NI-E4		<ul style="list-style-type: none"> • 6mp , 32 ch • H.264 /H.264+ • HDMI&VGA output 4 HDD
DS-7732NI-E4/16P		<ul style="list-style-type: none"> • 6mp , 32 ch, 16ch PoE • H.264 /H.264+ • HDMI&VGA output 4 HDD
DS-9664NI-I8		NVR PRO 64 KANALE
DS-96128NI-F16/H		NVR PRO 128 KANALE
DS-2CD2410F-IW (2.8MM)(PSU)		<ul style="list-style-type: none"> • HD 1mp • 10m IR • PIR Audio On-board Storage, up to 128GB • Built-in Wi-Fi optional

<p>DS-2CD4120F-IZ (SMART)</p>		<ul style="list-style-type: none"> • Up to 1920 x 1080 high resolution • Smart Codec • 3D DNR • Triple streams • On-board storage, up to 128GB • Smart Focus: Motorized VF len • Smart VQD • Smart Facial Detection • Smart Audio Detection • Intrusion Detection • Smart IR • Defog
<p>DS-2CD2612F-I Varifokale 2.8-12MM</p>		<ul style="list-style-type: none"> • 1.3 megapixel high resolution • 2.8-12mm vari-focal lens • IR range: up to 30m • Audio and alarm optional • True day / night
<p>DS-2CD2442FWD-IW</p>		<ul style="list-style-type: none"> • HD 4 mpx • 10m IR • PIR Audio On-board Storage, up to 128GB • Built-in Wi-Fi optional
<p>DS-2CD2542FWD-I</p>		<ul style="list-style-type: none"> ·4MP (2688×1520) high resolution ·Up to 10m IR visibility ·Support 120dB wide dynamic ·PoE ·Vandal-proof housing
<p>DS-2CD2042WD-I (4mm)</p>		<ul style="list-style-type: none"> • 4 MP • IR 30M
<p>DS-2CD2142FWD-I (2.8mm)(4mm)</p>		<ul style="list-style-type: none"> • 4 MP Vandal Resistant • IR 30M




<p>DS-2CD2T42WD-I3 (4mm)</p>		<ul style="list-style-type: none"> • 4 MP • IR 30M
<p>DS-2CD2T42WD-I5 (4mm)</p>		<ul style="list-style-type: none"> • 4 MP • IR 50M
<p>DS-2CD2T42WD-I8 (6mm)</p>		<ul style="list-style-type: none"> • 4 MP • IR 80M
<p>DS-2CD2155FWD-I (2.8mm)</p>		<p>IP DOME 5 MPX Up to 5 megapixel high 1 2.8mm/4mfixed lens 1 3-axis adjustment 1 Support storage,128GB 1 Up to 30m IR range</p>
<p>DS-2CD2055FWD-I (2.8mm) (4mm)</p>		<p>MINI BULLET 5 MPX 1 Up to 5 megapixel high 1 Digital Wide Dynamic Range 1 3D Digital Noise Reduction 1 Up to 30m IR range</p>
<p>DS-2CD2T55FWD-I5 (2.8mm) (4mm)</p>		<p>IP 5MP Bullet 1/3" Progressive Scan CMOS Up to 4 megapixel resolution 120dB Wide Dynamic Range EXIR high performance LEDs Up to 80 meters IR range</p>
<p>DS-2CD2152F-I 6mm</p>		<p>IP DOME 5 MPX Up to 5 megapixel high 1 2.8mm/4mfixed lens 1 3-axis adjustment 1 Support storage,128GB 1 Up to 30m IR range</p>


DS-2CD2052-I		<p>MINI BULLET 5 MPX 1 Up to 5 megapixel high 1 Digital Wide Dynamic Range 1 3D Digital Noise Reduction 1 Up to 30m IR range</p>
DS-2CD2T52-I5		<p>IP 5MP Bullet 1/3" Progressive Scan CMOS Up to 4 megapixel resolution 120dB Wide Dynamic Range EXIR high performance LEDs Up to 80 meters IR range</p>
DS-2CD4565F-IZH 6MPX		<p>1/1.8" Progressive Scan CMOS 6MP real time Up to 24fps frame rate Audio/Alarm IO Support 128G on-board storage DC12V/AC24V/PoE</p>
DS-2CD4A65F-IZHS		<ul style="list-style-type: none"> • Up to 3072 x 2048 High Resolution • WDR, 3D DNR • Multi-Video Streams • On-Board Storage, Up to 128 GB • Up to 50 Meters IR Range • Motorized VF Lens with Smart Focus • IP67 • Smart Heater

PTZ TURBO,IP 1.3 MPX,2 MPX,3 MPX.		
DS-2AE4223TI-D / DS-2AE4223TI-A		<ul style="list-style-type: none"> • HD1080P Turbo IR PTZ Dome Camera • 23X Optical Zoom • Up to 100m IR distance • 3D intelligent positioning
DS-2AE7230TI-A		<ul style="list-style-type: none"> • HD1080P Turbo IR PTZ Dome Camera • 1920x1080 • 30X Optical Zoom • 3D intelligent positioning • Up to 120m IR distance
DS-2DE4220IW-DE		<ul style="list-style-type: none"> • 2MP 20X Network IR PTZ • 1920 x 1080 • 20X Optical Zoom • 3D intelligent positioning • Support Hik cloud P2P • Up to 100m IR distance
DS-2DE5220IW-AE		<ul style="list-style-type: none"> • 2MP 20X Network IR • 20X Optical Zoom • 3D intelligent positioning • Support Hik cloud P2P • Up to 150m IR • Hi-PoE / 24VAC power • Support BNC output
DS-2DE7130IW-AE		<ul style="list-style-type: none"> • 1.3MP 30X Network IR PTZ • 30X Optical Zoom • 3D intelligent positioning • Support cloud P2P • Up to 150m IR distance • Hi-PoE / 24VAC power
DS-2DE7330IW-AE		<ul style="list-style-type: none"> • 3MP 30X Network IR PTZ • Up to 150m IR distance • 3D DNR, D WDR • 3D intelligent positioning • 30X Optical Zoom

DS-3E0105P-E		<ul style="list-style-type: none"> • Optional 820 ft (250 m) • 4 x 10/100 Mbps Auto-MDIX • 30 Watts per PoE Port, PoE Power Budget 58 W • 4 kV Surge Protection • Plug-and-Play Installation • 1 Gbps Switching Fabric
DS-3E0109P-E		<ul style="list-style-type: none"> • Optional 820 ft (250 m) • 8x 10/100 Mbps Auto-MDIX • 30 Watts per PoE Port, PoE Power Budget 58 W • 4 kV Surge Protection • Plug-and-Play Installation • 1 Gbps Switching Fabric
DS-3E0318P-E		<ul style="list-style-type: none"> • Optional 820 ft (250 m) • 16x 10/100 Mbps Auto-MDIX • 30 Watts per PoE Port, PoE Power Budget 58 W • 4 kV Surge Protection • Plug-and-Play Installation • 1 Gbps Switching Fabric
DS-3E0326P-E		<ul style="list-style-type: none"> • Optional 820 ft (250 m) • 24x 10/100 Mbps Auto-MDIX • 30 Watts per PoE Port, PoE Power Budget 58 W • 4 kV Surge Protection • Plug-and-Play Installation • 1 Gbps Switching Fabric
Ds-1258ZJ		<p>Mbajtese per kamerat Dome IP</p>

Ds-1260ZJ		Mbajtese per kamerat Bullet
Video Intercom		
DS-KD8102-V Video Door Station Perdorimi : Pallate		<ul style="list-style-type: none"> Video intercom function HD video surveillance (Max. resolution 1280×720@30fps, WDR, 120°wide angle) Access control function Activating card via local station function (This function will be invalid if the card has been activated via iVMS-4200) Door magnetic alarm and tamper-proof alarm function IR detection
DS-KV8102-IM DS-KV8202-IM DS-KV8402-IM		<p>Perdorimi Vila apo Apartamente. Lidhen me 1 monitor,2 monitore apo 4 monitore. Mundesi per lidhjen e braves</p>
DS-KH6310-WL		<ul style="list-style-type: none"> 7-inch colorful FTF LCD with resolution 800 x 480 Panic call supported 2-ch zone alarm supported Supports monitoring door stations and external cameras Remote unlocking via the client software or the app

DS-KH8301-WT		<ul style="list-style-type: none"> Video intercom function Remote unlocking function Resident-to-resident video/audio call Live view of HD video Voice message function Auto-respond and no disturbing mode Wireless 8-ch zone alarm and SOS calling function
DS-KH6310-W		<ul style="list-style-type: none"> Video intercom function Remote unlocking function Resident-to-resident audio call Live view of HD video Voice message function Auto-respond and no disturbing mode Noise suppression and echo cancellation 8-ch zone alarm and SOS calling function
DS-KAD606		<ul style="list-style-type: none"> 8 RJ-45 interfaces, including 6 adaptive 10/100 Mbps LAN interfaces supporting network cable powering and 2 adaptive 10/100 Mbps cascading LAN interfaces 6 adaptive 10/100 Mbps LAN interfaces supports providing 24 VDC for video intercom devices

DS-KIS201		<p>Door Station</p> <ul style="list-style-type: none"> Self-adaptive IR supplement One-touch calling Pinhole camera with 720 x 576 @ 25 fps Unlock controlling <p>Indoor Station</p> <ul style="list-style-type: none"> Hands-free video intercom communication Supports monitoring the door station and the external analog camera Remote unlocking
HARD DRIVE WESTERN DIGITAL PURPLE		
HDD 500		
HDD 1 TB		
HDD 2 TB		
HDD 3 TB		
HDD 4 TB		